PHYTOCHEMISTRY

THE INTERNATIONAL JOURNAL
OF PLANT BIOCHEMISTRY
AND MOLECULAR BIOLOGY

Editor-in-Chief

J. B. HARBORNE F.R.S.

Associate Editor (North America)

N. G. LEWIS

Executive Editor

T. A. SMITH

Volume 42 Contents, Author Index and
Subject Index 1996

PERGAMON

PHYTOCHEMISTRY

The International Journal of Plant Biochemistry and Molecular Biology

Editor-in-Chief

J. B. HARBORNE F.R.S.: Plant Science Laboratories, The University, Whiteknights, Reading RG6 2AS, Berks., U.K.

Associate Editor (North America)

N. G. LEWIS: Institute of Biological Chemistry, Washington State University, Pullman, WA 99164-6340, U.S.A.

Executive Editor

T. A. SMITH: Long Ashton Research Station, Bristol BS18 9AF, U.K.

Associate Editors

L. J. GOAD: Dept of Biochemistry, Liverpool University, Liverpool L69 3BX, U.K.

P. J. HOLLOWAY: Long Ashton Research Station, Bristol BS18 9AF, U.K.

P. J. LEA (Review Editor): Division of Biological Science, University of Lancaster, Lancaster LA1 4YQ, U.K.

D. R. THRELFALL: Dept of Biological Sciences, School of Life Sciences, University of Hull, Hull HU6 7RX, U.K.

C. A. WILLIAMS: Plant Science Laboratories, The University, Whiteknights, Reading RG6 2AS, Berks., U.K.

Production Editor

R. J. COLLINS: Journals Production Dept, Research Journals, Elsevier Science Ltd, The Boulevard, Langford Lane, Kidlington, Oxford OX5 1GB, U.K. Tel: +44(0) 1865 843519. Fax: +44(0) 1865 843969. E-mail: chemistry.production@elsevier.co.uk

EDITORIAL BOARD—1996

Y. Asakawa:	Faculty of Pharmaceutical Sciences, Tokushima Bunri University, Yameshiro-cho, 770 Tokushima, Japan.
E. A. Bell:	Pharmacology Group, King's College, Manresa Road, London SW3 6LX, U.K.
E. G. Brown:	Biochemistry Group, School of Biological Sciences, University of Wales Swansea, Singleton Park, Swansea SA2 8PP, U.K.
E. E. Conn:	Dept of Biochemistry and Biophysics, University of California, Davis, CA 95616, U.S.A.
G. Cordell:	Program for Collaborative Research in the Pharmaceutical Sciences, College of Pharmacy, University of Illinois at Chicago, IL 60612, U.S.A.
R. Croteau:	Institute of Biological Chemistry, Washington State University, Pullman, WA 99164-6340, U.S.A.
V. De Luca:	Dept de sciences biologiques, Institut de recherche en biologie vegetale, Universite de Montreal, 4101 est rue Sherbrooke, Montreal, Quebec, Canada H1X 2B2.
B. Ellis:	Dept of Plant Science, University of British Columbia, 2357 Main Hall, Vancouver, B.C., Canada V6T 1Z4.
N. H. Fischer:	Dept of Chemistry, Louisiana State University, Baton Rouge, LA 70803, U.S.A.
L. Fowden:	Rothamsted Experimental Station, Harpenden, Herts., U.K.
T. W. Goodwin:	9 Woodlands Close, Parkgate, S. Wirral, Cheshire L64 6RU, U.K.
O. R. Gottlieb:	Instituto de Quimica, Universidade de São Paulo, C.P. 20780, São Paulo 01498, Brazil.
J. L. Harwood:	Dept of Biochemistry, University of Wales, P.O. Box 903, Cardiff CF1 1ST, U.K.
V. Herout:	Dept of Natural Products, Inst. Organic Chemistry, Flemingovo N2, Praha 6, Czech Republic.
W. Herz:	Dept of Chemistry, The Florida State University, Tallahassee, FL 32306, U.S.A.
K. Hostettmann:	Institut de Pharmacognosie et Phytochemie, B.E.P., 1015 Dorigny-Lausanne, Switzerland.
M. Luckner:	Sektion Pharmazie, Universität Halle (Saale), Germany.
T. J. Mabry:	Dept of Botany, University of Texas at Austin, TX 78713, U.S.A.
P. Mazliak:	Lab. de Physiologie Cellulaire, Université Pierre et Marie Curie, 75005 Paris, France.
B. V. Milborrow:	School of Biochemistry, University of NSW, P.O. Box 1, Kensington, NSW 2033, Australia.
T. Okuda:	Kitakata 3-4-25, Okayama City 700, Japan.
J. D. Phillipson:	School of Pharmacy, University of London, 29/39 Brunswick Square, London WC1N 1AX, U.K.
J. E. Poulton:	Dept of Botany, University of Iowa, Iowa City, IA 52242, U.S.A.
T. ap Rees:	Botany School, University of Cambridge, Downing Street, Cambridge CB2 3EA, U.K.
U. Sankawa:	Faculty of Pharmaceutical Sciences, Dept of Pharmacognosy, Toyama Medical and Pharmaceutical University, 2635 Sugitani, Toyama 930-10, Japan.
G. H. N. Towers:	Dept of Botany, University of British Columbia, 2357 Main Hall, Vancouver, B.C., Canada V6T 1Z4.
H. Wagner:	Inst. für Pharmazeutische Biologie, Karlstrasse 29, 8 München 2, Germany.
P. G. Waterman:	Phytochemistry Research Laboratories, Dept of Pharmacy, University of Strathclyde, 204 George Street, Glasgow G1 1XW, U.K.
M. H. Zenk:	Inst. für Pharmazeutische Biologie, Karlstrasse 29, 8 München 2, Germany.

All manuscripts and contributions should be submitted to either J. B. HARBORNE at Reading or N. G. LEWIS at Pullman. Authors are earnestly requested to consult the latest 'Instructions to Authors', which are published in Vol. 41, No. 1 (copies of these instructions are available from the Reading office) and the 'Aims and Scope' of the journal (see inside back cover). Review articles are welcomed, but intending Authors should send an outline to P. J. LEA before preparing their manuscripts. Books for review should be sent to J. B. HARBORNE.

This journal has been designated an official organ of the 'The Phytochemical Society of Europe' and 'The Phytochemical Society of North America' and Society announcements will appear at regular intervals. Reduced subscription rates are available to members of both Societies (details available from Society offices).

Publishing and Advertising Offices: Elsevier Science Ltd, The Boulevard, Langford Lane, Kidlington, Oxford OX5 1GB, U.K.

Annual Subscription Information: Published semi-monthly, two issues per month, January to December (three volumes 1997).

Annual Institutional Subscription Rates 1997: Europe, The CIS and Japan 3983.00 Dutch Guilders. All other countries US$2459.00. Associated Personal Subscription rates are available on request for those whose institutions are library subscribers. Dutch Guilder prices exclude VAT. Non-VAT registered customers in the European Community will be charged the appropriate VAT in addition to the price listed. Prices include postage and insurance and are subject to change without notice.

Any enquiry relating to subscriptions should be sent to: **The Americas:** Elsevier Science, Customer Support Department, P.O. Box 945, New York, NY, 10010, U.S.A. [Tel: (+1) 212-633-3730 / 1-888 4ES-INFO. Fax: (+1) 212-633-3680. E-mail: usinfo-f@elsevier.com]. **Japan:** Elsevier Science, Customer Support Department, 9-15 Higashi-Azabu 1-chome, Minato-ku, Tokyo 106, Japan [Tel: (+3) 5561-5033. Fax: (+3) 5561-5047. E-mail: kyf04035@niftyserve.or.jp]. **Asia Pacific *(excluding Japan)*:** Elsevier Science (Singapore) Pte Ltd, No. 1 Temasek Avenue, 17-01 Millenia Tower, Singapore 039192. [Tel: (+65) 434-3727. Fax: (+65) 337-2230. E-mail: asiainfo@elsevier.com.sg]. **Rest of the World:** Elsevier Science, Customer Service Department, P.O. Box 211, 1001 AE Amsterdam, The Netherlands. [Tel: (+31) 20-485-3757. Fax: (+31) 20-485-3432. E-mail: nlinfo-f@elsevier.nl]. *Microform back issues:* back issues of all previously published volumes in both hard copy and on microform, are available direct from Elsevier Science Offices (Oxford, New York).

Copyright © 1996 Elsevier Science Ltd

PERIODICALS POSTAGE PAID AT NEWARK, NJ AND ADDITIONAL ENTRY POINTS. *Phytochemistry* (**ISSN 0031-9422**) is published **semi-monthly, two issues per month, January to December in three volumes,** by Elsevier Science Ltd, The Boulevard, Langford Lane, Kidlington, Oxford OX5 1GB U.K. The annual subscription in the U.S.A. is **$2459**. *Phytochemistry* is distributed by Mercury Airfreight International Ltd, 10 Camptown Road, Irvington, NJ 07111-1105. Postmaster: please send address corrections to *Phytochemistry*, c/o Elsevier Science, Regional Sales Office, Customer Support Department, 655 Avenue of the Americas, New York, NY 10010, U.S.A. [Tel: (+1) 212-633-3730 / 1-888 4ES-INFO. Fax: (+1) 212-633-3680. E-mail: usinfo-f@elsevier.com].

Front cover illustration: Leaves and fruit of *Juglans nigra*.

CONTENTS OF VOLUME 42

Number 1

Announcement ix

Growth and Metabolism

Proton pump activation and growth promotion by cinchomeronic acid in radish — 1 H. Nishitani, K. Nishitsuji, K. Okumura and H. Taguchi

Synthesis of glucosyl conjugates of [17-$^2H_2$]-labelled and unlabelled gibberellin A_{34} — 7 P. Fuchs and G. Schneider

Evidence for a cytosolic NADP-malic enzyme in tomato — 11 M. Knee, F. L. Finger and L. M. Lagrimini

Purification of phenylalanine ammonia lyase from *Rhodotorula glutinis* — 17 G. B. D'Cunha, V. Satyanarayan and P. M. Nair

Phosphatidylserine-sensitive calcium dependent protein kinase in rice embryo — 21 S. Komatsu, H. Karibe, B.-S. Xia and H. Hirano

Changes in epicuticular waxes on wildtype and *Eceriferum* mutants in *Arabidopsis* during development — 29 M. A. Jenks, H. A. Tuttle and K. A. Feldmann

Alkaloid content in *Erythroxylum coca* tissue during reproductive development — 35 E. L. Johnson

Ecological Biochemistry

Effect of salinity on lipid composition of *Cladophora vagabunda* — 39 I. Elenkov, K. Stefanov, S. Dimitrova-Konaklieva and S. Popov

Presence of cardenolides and ursolic acid from oleander leaves in larvae and frass of *Daphnis nerii* — 45 F. Abe, T. Yamauchi and K. Minato

Biosynthesis

Special Publication: Evidence for a non-ACC ethylene biosynthesis pathway in lower plants — 51 D. J. Osborne, J. Walters, B. V. Milborrow, A. Norville and L. M. C. Stange

2-Amino-4-carboxypyrimidine in seeds of *Lathyrus tingitanus* — 61 E. G. Brown

Accumulation of vicine and convicine in *Vicia faba* and *V. narbonensis* — 63 G. Ramsay and D. W. Griffiths

Cell Culture and Biotechnology

Polyacetylenes in hairy roots of *Platycodon grandiflorum* — 69 Jun Cheul Ahn, Baik Hwang, H. Tada, K. Ishimaru, K. Sasaki and K. Shimomura

C-14 Oxygenated taxanes from *Taxus yunnanensis* cell cultures — 73 Kedi Cheng, Weishuo Fang, Yujun Yang, Hong Xu, Chao Meng, Man Kong, Wenyi He and Qicheng Fang

Altersolanol-related compounds from the culture liquid of *Alternaria solani* — 77 N. Okamura, K. Mimura, H. Haraguchi, K. Shingu, K. Miyahara and A. Yagi

4′-*O*-β-D-Glucosyl-*cis*-*p*-coumaric acid—a natural constituent of *Sphagnum fallax* cultivated in bioreactors — 81 S. Rasmussen, C. Wolff and H. Rudolph

Chemotaxonomy

Iridoids from endemic Sardinian *Linaria* species — 89 A. Bianco, M. Guiso, M. Martino, M. Nicoletti, M. Serafini, L. Tomassini, L. Mossa and F. Poli

Sesqui- and di-terpenoids from the liverwort *Jungermannia vulcanicola* — 93 F. Nagashima, H. Tanaka and Y. Asakawa

Anthocyanins in Chilean species of *Alstroemeria* — 97 R. Nørbaek, L. P. Christensen, G. Bojesen and K. Brandt

Isoscutellarein 7-glucosyl(1→2)xyloside from sixteen species of *Sideritis* — 101 O. M. Palomino, M. Söllhuber, E. Carretero and A. Villar

Biosynthesis

Annosenegalin and annogalene: two cytotoxic mono-tetrahydrofuran acetogenins from *Annona senegalensis* and *Annona cherimolia* — 103 S. Sahpaz, M. C. González, R. Hocquemiller, M. C. Zafra-Polo and D. Cortes

Proanthocyanidin polymers with antisecretory activity and proanthocyanidin oligomers from *Guazuma ulmifolia* bark — 109 M. Hör, M. Heinrich and H. Rimpler

Flavonoids, cinnamic acids and coumarins from the different tissues and medicinal preparations of *Taraxacum officinale* — 121 C. A. Williams, F. Goldstone and J. Greenham

Plant Chemistry

Podacycline A and B, two cyclic peptides in the latex of *Jatropha podagrica* — 129 A. J. J. Van den Berg, S. F. A. J. Horsten, J. J. Kettenes-van den Bosch, C. J. Beukelman, B. H. Kroes, B. R. Leeflang and R. P. Labadie

A 2,5-dimethoxytetrahydrofuran from *Hemerocallis fulva* var. *kwanso* — 135 T. Konishi, T. Inoue, S. Kiyosawa and Y. Fujiwara

Iridoids and flavones from *Gentiana depressa* — 139 A. J. Chulia, J. Vercauteren and A. M. Mariotte

An abietane diterpene and two phenolics from *Salvia forskahlei* — 145 A. Ulubelen, U. Sönmez, G. Topcu and C. B. Johansson

Labdane diterpenes from *Alpinia zerumbet* — 149 Hong-Xi Xu, Hui Dong and Keng-Yeow Sim

Furanoid diterpene glucosides from *Tinospora rumphii* — 153 T. S. Martin, K. Ohtani, R. Kasai and K. Yamasaki

Sesquiterpene alcohols from *Chamaecyparis obtusa* leaf oil — 159 T. Hieda, M. Tazaki, Y. Morishita, T. Aoki and S. Nagahama

Aryl and triterpenic glycosides from *Margyricarpus setosus* — 163 N. De Tommasi, L. Rastrelli, J. Cumanda, G. Speranza and C. Pizza

Lycoperosides A–C, three stereoisomeric 23-acetoxyspirosolan-3β-ol β-lycotetraosides from *Lycopersicon esculentum* — 169 S. Yahara, N. Uda and T. Nohara

A 10-phenyl-[11]-cytochalasan from a species of *Daldinia* — 173 M. S. Buchanan, T. Hashimoto, S. Takaoka, Y. Kan and Y. Asakawa

Elucidation of the substitution pattern of 9,10-anthraquinones through the chemical shifts of *peri*-hydroxyl protons — 177 J. Schripsema and D. Dagnino

More phloroglucinols from *Hypericum brasiliense* — 185 L. Rocha, A. Marston, O. Potterat, M. A. C. Kaplan and K. Hostettmann

1,3-Di-*O*-galloylquinic acid from *Guiera senegalensis* 189 N. Bouchet, J. Levesque, A. Blond, B. Bodo and J.-L. Pousset

Galloylhamameloses and proanthocyanidins from *Hamamelis virginiana* 191 C. Hartisch and H. Kolodziej

Triacylated anthocyanins from *Ajuga reptans* flowers and cell cultures 199 N. Terahara, A. Callebaut, R. Ohba, T. Nagata, M. Ohnishi-Kameyama and M. Suzuki

HPLC and GC-MS identification of the major organic constituents in New Zealand propolis 205 K. R. Markham, K. A. Mitchell, A. L. Wilkins, J. A. Daldy and Y. Lu

Anhydroicaritin 3-*O*-rhamnosyl(1→2)rhamnoside from *Epimedium koreanum* and a reappraisal of other rhamnosyl(1→2, 1→3 and 1→4)rhamnoside structures 213 Wen-Kui Li, Jing-Qi Pan, Mu-Jian Lü, Pei-Gen Xiao and Ru-Yi Zhang

Alkaloids from root bark of *Zanthoxylum simulans* 217 Ih-Sheng Chen, Shwu-Jen Wu, Yann-Lii Leu, Inn-Wha Tsai and Tian-Shung Wu

Buntanbismine, a bisacridone alkaloid from *Citrus grandis* f. *buntan* 221 Tian-Shung Wu, Shiow-Chyn Huang and Pei-Lin Wu

Pyrrolizidine and tetrahydroisoquinoline alkaloids from *Echium humile* 225 A. El-Shazly, T. Sarg, A. Ateya, E. Abdel Aziz, S. El-Dahmy, L. Witte and M. Wink

Ergoladinine, an ergot alkaloid 231 L. Cvak, J. Minář, S. Pakhomova, J. Ondráček, B. Kratochvíl, P. Sedmera, V. Havlíček and A. Jegorov

Acridone alkaloids from *Bosistoa transversa* 235 A. A. Auzi, T. G. Hartley, R. D. Waigh and P. G. Waterman

Short Reports

An iridoid glucoside from *Dipsacus asperoides* 239 H. Tomita and Y. Mouri

Trans-methyl cinnamate: the major volatile from some populations of the liverwort, *Conocephalum conicum* 241 W. F. Wood, W. C. Lancaster, C. O. Fisher and R. E. Stotler

Puetuberosanol, an epoxychalcanol from *Pueraria tuberosa* 243 R. A. Khan, P. K. Agrawal and R. S. Kapil

Two furanoxanthones from *Mammea acuminata* 245 M. Iinuma, H. Tosa, T. Tanaka and S. Riswan

Xanthones from root bark of *Calophyllum thwaitesii* 249 H. R. W. Dharmaratne and W. M. A. P. Wanigasekera

Book Review 251

Number 2

Announcements ix

Review Article Number 112

Acetogenins from Annonaceae, inhibitors of mitochondrial complex I 253 M. C. Zafra-Polo, M. C. González, E. Estornell, S. Sahpaz and D. Cortes

Growth and Metabolism

A new auxin-inhibiting substance, 4-Cl-6,7-dimethoxy-2-benzoxazolinone, from light-grown maize shoots 273 T. Anai, H. Aizawa, N. Ohtake, S. Kosemura, S. Yamamura and K. Hasegawa

Bromoperoxidase in *Corallina pilulifera* is regulated by its vanadate content	277	N. Itoh, H. Sasaki, N. Ohsawa, M. S. Shibata and J. Miura
Inhibition of both peroxidase and laccase by desferal (desferrioxamine mesylate)	283	M. C. De Pinto and A. R. Barceló
Carbohydrate moieties of three radish peroxidases	287	Sun Hyung Kim and Soung Soo Kim
Purification and characterization of diamine oxidase from *Triticum aestivum* shoots	291	Y. Suzuki
α-L-Arabinofuranosidase from cell walls of Japanese pear fruits	295	A. Tateishi, Y. Kanayama and S. Yamaki
Polymer mobility in cell walls of transgenic tomatoes with reduced polygalacturonase activity	301	K. M. Fenwick, M. C. Jarvis, D. C. Apperley, G. B. Seymour and C. R. Bird
M_r 33 k oil body associated protein in cultured shoot primordia of *Matricaria chamomilla*	309	S. Izumi, O. Takashima, N. Fukuda and T. Hirata
An acidic amino acid-specific protease from germinating soybeans	313	A. L. Tan-Wilson, X. Liu, R. Chen, X. Qi and K. A. Wilson
Effect of cucurbitacins on mRNA coding for laccase in *Botrytis cinerea*	321	L. Gonen, A. Viterbo, F. Cantone, R. C. Staples and A. M. Mayer
Nicotine *N*-demethylase in cell-free preparations from tobacco cell cultures	325	D. Hao and M. M. Yeoman
Putrescine accumulation in wounded green banana fruit	331	K.-I. Yoza, Y. Takeda, K. Sekiya, Y. Nogata and H. Ohta
Changes in lipid composition during floral development of *Brassica campestris*	335	D. H. Hobbs, J. H. Hume, C. E. Rolph and D. T. Cooke
Lipid composition of symbiosomes from pea root nodules	341	L. E. Hernández and D. T. Cooke
Photodegradation of chlorophyll phytyl chain in senescent leaves of higher plants	347	J.-F. Rontani, P. Cuny and V. Grossi
Possible mechanisms controlling molecular weight of rubbers in *Hevea brasiliensis*	353	J. Tangpakdee, Y. Tanaka, R. Wititsuwannakul and N. Chareonthiphakorn
Phenolic derivatives related to lignin metabolism as substrates for *Azospirillum* laccase activity	357	D. Faure, M. L. Bouillant, C. Jacoud and R. Bally
The effect of induced polyploidy on the flavonols of *Petunia* 'Mitchell'	361	R. J. Griesbach and K. K. Kamo
Ecological Biochemistry		
Plant growth promoting and fungicidal 4-quinolinones from *Pseudomonas cepacia*	365	Surk-Sik Moon, Pyeng Mo Kang, Kyung Seok Park and Choong Hoe Kim
1,8-Cineole: an attractant for the banana weevil, *Cosmopolites sordidus*	369	I. O. Ndiege, W. J. Budenberg, D. O. Otieno and A. Hassanali
Volatiles emitted by apple fruitlets infested by larvae of the European apple sawfly	373	J.-L. Boevé, U. Lengwiler, L. Tollsten, S. Dorn and T. C. J. Turlings
The phytotoxic activity of some metabolites of *Botrytis cinerea*	383	L. Rebordinos, J. M. Cantoral, M. V. Prieto, J. R. Hanson and I. G. Collado
Changes in the accumulation of soluble and cell wall-bound phenolics in elicitor-treated cell suspension cultures and fungus-infected leaves of *Solanum tuberosum*	389	H. Keller, H. Hohlfeld, V. Wray, K. Hahlbrock, D. Scheel and D. Strack

Biosynthesis

S-Adenosyl-L-methionine: anol-*O*-methyltransferase activity in organ cultures of *Pimpinella anisum* 397 B. Kemmerer and J. Reichling

Properties and partial purification of squalene synthase from cultured cells of dandelion 405 H. Komine, T. Takahashi and S. Ayabe

The hydroxylation of testosterone and some relatives by *Cephalosporium aphidicola* 411 J. R. Hanson, H. Nasir and A. Parvez

Signalling molecules and the synthesis of alkaloids in *Catharanthus roseus* seedlings 417 R. J. Aerts, A. Schäfer, M. Hesse, T. W. Baumann and A. Slusarenko

Cell Culture and Biotechnology

Synthesis of optically active α-phenylpyridylmethanols by immobilized cell cultures of *Catharanthus roseus* 423 M. Takemoto, K. Achiwa, N. Stoynov, D. Chen and J. P. Kutney

Phaeophytins from a cell suspension culture of the liverwort *Plagiochila ovalifolia* 427 A. Matsuo, K. Ono, K. Hamasaki and H. Nozaki

Rosmarinic acid and related phenolics in hairy root cultures of *Ocimum basilicum* 431 H. Tada, Y. Murakami, T. Omoto, K. Shimomura and K. Ishimaru

Prenylated xanthones from cell suspension cultures of *Hypericum patulum* 435 K. Ishiguro, H. Fukumoto, A. Suitani, M. Nakajima and K. Isoi

Plant Chemistry

A cyclic heptapeptide from *Vaccaria segetalis* 439 H. Morita, Y. S. Yun, K. Takeya, H. Itokawa and O. Shirota

Nonprotein amino acids from seeds of *Cycas circinalis* and *Phaseolus vulgaris* 443 Cong-Jun Li, D. M. Brownson, T. J. Mabry, C. Perera and E. A. Bell

Diacylglycerylgalactosides from *Arisaema amurense* 447 Jee H. Jung, Hongkum Lee and Sam Sik Kang

The glycosidic precursor of (Z)-5-ethylidene-2(5*H*)-furanone in *Halocarpus biformis* juvenile foliage 453 N. B. Perry, M. H. Benn, L. M. Foster, A. Routledge and R. T. Weavers

Sesquiterpene hydrocarbons in the essential oil of *Meum athamanticum* 461 W. A. König, A. Rieck, Y. Saritas, I. H. Hardt and K.-H. Kubeczka

Pinguisone derivatives from an axenic culture of the liverwort *Aneura pinguis* 465 H. Tazaki, H. Soutome, K. Nabeta, H. Okuyama and H. Becker

Eudesmanolides from *Artemisia pontica* 469 A. B. Trendafilova, M. N. Todorova and C. V. Gussev

Aleppicatines A and B from *Euphorbia aleppica* 473 S. Öksüz, F. Gürek, L.-Z. Lin, R. R. Gil, J. M. Pezzuto and G. A. Cordell

Kauranes and related diterpenes and *Adenostemma brasilianum* 479 A. Bardón, S. Montanaro, C. A. N. Catalán, J. G. Díaz and W. Herz

Buddlejone, a diterpene from *Buddleja albiflora* 485 P. J. Houghton, T. Z. Woldemariam, M. Candau, A. Barnardo, O. Khen-Alafun and L. Shangxiao

An unusual cycloartane triterpenoid from *Cimicifuga foetida* 489 Cong-Jun Li, Ying-He Li, Pei-Gen Xiao, T. J. Mabry, W. H. Watson and M. Krawiec

Triterpenes and triterpene glycosides from *Paradrymonia macrophylla* 495 C. Terreaux, M. P. Maillard, M. P. Gupta and K. Hostettmann

Triterpenes and 1-(ω-hydroxyceratyl)glycerols from *Pentaclethra eetveldeana* root bark 501 Babady-Byla and W. Herz

Unsaturated E-ring triterpenes from *Rubus pinfaensis* 505 D. G. Durham, I. X. Liu and R. M. E. Richards

2-Deoxybrassinolide, a brassinosteroid from *Pisum sativum* seed 509 T. Yokota, T. Matsuoka, T. Koarai and M. Nakayama

Bufadienolides from *Urginea maritima* from Egypt 513 B. Kopp, L. Krenn, M. Draxler, A. Hoyer, R. Terkola, P. Vallaster and W. Robien

Re-investigation of the cardenolide glycosides from *Gomphocarpus sinaicus* 523 N. S. Abdel-Azim, F. M. Hammouda, D. Hunkler and H. Rimpler

(−)-Magnofargesin and (+)-magnoliadiol, two lignans from *Magnolia fargesii* 531 M. Miyazawa, H. Kasahara and H. Kameoka

Isoquinoline alkaloid *N*-oxides from *Thalictrum simplex* 535 M. P. Velcheva, R. R. Petrova, Z. Samdanghiin, S. Danghaaghiin, Z. Yansanghiin, H. Budzikiewicz and M. Hesse

Three aspidofractinine-type alkaloids from *Kopsia teoi* 539 T.-S. Kam and K. Yoganathan

Two steroidal glycoalkaloids from *Solanum arboreum* 543 A. Maxwell, R. Pingal, W. F. Reynolds and S. McLean

Short Reports

A pyradine-derivative from the mushroom *Albatrellus confluens* 547 H. Kawagishi, A. Tanaka, K. Sugiyama, H. Mori, H. Sakamoto, Y. Ishiguro, K. Kobayashi and M. Uramato

Parishins B and C from rhizomes of *Gastrodia elata* 549 Jer-Huei Lin, Yi-Chu Liu, Jing-Ping Hau and Kuo-Ching Wen

A secoiridoid glucoside from *Jasminum odoratissimum* 553 J. M. Trujillo, J. M. Hernández, J. A. Pérez, H. López and I. Frías

Neo-clerodane diterpenoids from *Scutellaria cypria* 555 M. Bruno, C. Fazio and N. A. Arnold

20-Epibryonolic acid, phytosterols and ellagic acid from *Coriaria intermedia* 559 Yuan-Shiun Chang, Ming-Shiung Lin, Reuy-Ling Jiang, Shun-Chueh Huang and Li-Kang Ho

11-Epi-azadirachtin H from *Azadirachta indica* 561 N. Ramji, K. Venkatakrishnan and K. M. Madyastha

Purpurasolol, a highly oxygenated coumarin from *Pterocaulon purpurascens* 563 S. L. Debenedetti, E. L. Nadinic, M. A. Gomez, J. D. Coussio, N. De Kimpe and M. Boeykens

Mauritine J, a cyclopeptide alkaloid from *Zizyphus mauritiana* 565 A. Jossang, A. Zahir and D. Diakite

Diterpenoid alkaloids from *Delphinium caeruleum* 569 Yan Wang, Shao Nong Chen, Yuanjiang Pan, Jiaming Zhang and Yaozu Chen

Book Review 573

Number 3

Growth and Metabolism

Metabolism and biological activity of (+)- and (−)-*C*-1′-*O*-methyl ABA in maize suspension-cell cultures — 575 P. A. Rose, A. J. Cutler, M. K. Loewen, L. R. Hogge and S. R. Abrams

Lactate dehydrogenase in plants: distribution and function — 581 P. O'Carra and P. Mulcahy

Chloroplast adenylate kinase from tobacco. Purification and partial characterization — 589 U. Schlattner, E. Wagner, H. Greppin and M. Bonzon

Calcium ions promote the response of *Citrus limon* against fungal elicitors or wounding — 595 P. Castañeda and L. M. Pérez

Inhibition of cyclic AMP-dependent protein kinase by curcumin — 599 M. Hasmeda and G. M. Polya

Unconjugated $Man_5GlcNAc$ occurs in vegetative tissues of tomato — 607 H. Yunovitz, J. N. Livsey and K. C. Gross

Pectic polysaccharides from xylem-differentiating zone of *Cryptomeria japonica* — 611 Y. Edashige and T. Ishii

Vitamin D_3 and its metabolites in the tomato plant — 617 T. P. Prema and N. Raghuramulu

Fatty acid distribution in triacylglycerols from aril and cotyledon oils of *Afzelia cuanzensis* — 621 G. Vlahov

Cerebrosides in mature-green and red-ripe bell pepper and tomato fruits — 627 B. D. Whitaker

Ecological Biochemistry

A cyanogenic glycoside from *Canthium schimperianum* — 633 B. Schwarz, V. Wray and P. Proksch

Nonsterol related resistance in *Ustilago maydis* to the polyene antifungals, amphotericin B and nystatin — 637 T. Joseph-Horne, N. Manning, D. Holoman and S. Kelly

Toxicity of 6-methoxymellein and 6-hydroxymellein to the producing carrot cells — 641 F. Marinelli, U. Zanelli and V. N. Ronchi

Effect of gliotoxin on growth and branched-chain amino acid biosynthesis in plants — 645 H. Haraguchi, Y. Hamatani, M. Hamada and A. Fujii-Tachino

Biosynthesis of cyanohydrin glucosides from unnatural nitriles in intact tissue of *Passiflora morifolia* and *Turnera angustifolia* — 649 J. W. Jaroszewski, A. B. Rasmussen, H. B. Rasmussen, C. E. Olsen and L. B. Jørgensen

Effect of growth conditions on endo- and exopolymer biosynthesis in *Anabaena cylindrica* 10 C — 655 L. Lama, B. Nicolaus, V. Calandrelli, M. C. Manca, I. Romano and A. Gambacorta

Cyanidin 3-malonylglucoside and malonyl-coenzyme A: anthocyanidin malonyltransferase in *Lactuca sativa* leaves — 661 M.-A. Yamaguchi, S. Kawanobu, T. Maki and I. Ino

Cell Culture and Biotechnology

UDP-glucuronic acid: triterpene glucuronosyltransferase activity in cultured licorice cells — 665 H. Hayashi, Y. Nishiyama, N. Tomizawa, N. Hiraoka and Y. Ikeshiro

Biotransformation of digitoxigenin by cultured ginseng cells — 667 K. Kawaguchi, T. Watanabe, M. Hirotani and T. Furuya

Acylated anthocyanins in red flowers of *Hyacinthus orientalis* regenerated *in vitro* — 671 K. Hosokawa, Y. Fukunaga, E. Fukushi and J. Kawabata

Chemotaxonomy

Cell wall sugars of some *Scenedesmus* species — 673 H. Takeda

(−)-Ledol from the liverwort *Cephaloziella recurvifolia* and the clarification of its identity 677 CHIA-LI WU, YU-MING HUANG and JYH-RONG CHEN

Sesquiterpene lactones and other constituents of *Stevia maimarensis* and *Synedrellopsis grisebachii* 681 L. R. HERNÁNDEZ, E. C. DE RISCALA, C. A. N. CATALÁN, J. G. DÍAZ and W. HERZ

Biotransformations of progesterone by *Chlorella* spp. 685 A. POLLIO, G. PINTO, M. D. GRECA, A. FIORENTINO and L. PREVITERA

Minor lignans from *Haplophyllum cappadocicum* 689 B. GÖZLER, T. GÖZLER, H. SAĞLAM and M. HESSE

Lignans, alkaloids and coumarins from *Haplophyllum vulcanicum* 695 B. GÖZLER, D. RENTSCH, T. GÖZLER, N. ÜNVER and M. HESSE

Flavonoid variation in the leaves of *Glycyrrhiza glabra* 701 H. HAYASHI, M. YASUMA, N. HIRAOKA, Y. IKESHIRO, H. YAMAMOTO, E. YEŞILADA, E. SEZIK, G. HONDA and M. TABATA

Bioactive Plant Products

Araticulin, a *bis*-tetrahydrofuran polyketide from *Annona crassiflora* seeds 705 L. P. SANTOS, M. A. D. BOAVENTURA, N.-J. SUN, J. M. CASSADY and A. B. DE OLIVEIRA

Cytotoxic azadirachtin-type limonoids from *Melia azedarach* 709 K. TAKEYA, Z.-S. QIAO, C. HIROBE and H. ITOKAWA

Antiviral activity of lignans and their glycosides from *Justicia procumbens* 713 J. ASANO, K. CHIBA, M. TADA and T. YOSHII

Plant Chemistry

1β-Amino-2α,3β,5β-trihydroxycycloheptane from *Physalis alkekengi* var. *francheti* 719 N. ASANO, A. KATO, H. KIZU and K. MATSUI

Glycosides of megastigmane and of the simple alcohols from *Alangium premnifolium* 723 H. KIJIMA, H. OTSUKA, T. IDE, C. OGIMI, E. HIRATA, A. TAKUSHI and Y. TAKEDA

15(*R*)-Hydroxylinoleic acid, an oxylipin from oat seeds 729 M. HAMBERG and G. HAMBERG

Acetylenic thiophene derivatives from *Blumea obliqua* 733 V. U. AHMAD and N. ALAM

Bisabolenes from *Achillea cretica* 737 M. BRUNO, M. L. BONDI, M. P. PATERNOSTRO, N. A. ARNOLD, J. G. DÍAZ and W. HERZ

Hydroperoxylated guaiane-type sesquiterpenes from *Viburnum awabuki* 741 Y. FUKUYAMA, H. MINAMI, R. ICHIKAWA, K. TAKEUCHI and M. KODAMA

Eudesmane-type sesquiterpenes from *Tanacetum praeteritum* subsp. *praeteritum* 747 N. GÖREN

Seco-eremophilane derivatives from rhizomes of *Petasites japonicus* 751 Y. YAOITA and M. KIKUCHI

A guaianolide from *Tanacetum argenteum* subsp. *flabellifolium* 757 N. GÖREN, E. TAHTASAKAL, M. KRAWIEC and W. H. WATSON

Isolation and structure of wightional and wightiolide from *Andrographis wightiana* 761 B. S. JOSHI, V. R. HEGDE and V. N. KAMAT

Three isomeric diterpenes from *Vellozia flavicans* 767 Â. C. PINTO, C. M. REZENDE, O. A. C. ANTUNES and C. R. D. CORREIA

A tetranorfriedolabdane diterpene from *Vellozia stipitata* 771 Â. C. PINTO, O. A. C. ANTUNES, M. G. PIZZOLATTI and V. M. RUMJANEK

C-10 Oxygenated neo-clerodane diterpenes from *Teucrium sandrasicum* 775 G. Topcu, C. Eriş, C.-T. Che and A. Ulubelen

Dehydroabietane diterpenes from *Juniperus formosana* Hay. var. *concolor* Hay. 779 Yueh-Hsiung Kuo and Ming Tsang Yu

Kaurane glycosides from *Inula britannica* 783 Yu Shao, Nai-Shen Bai and Bing-Nan Zhou

A rearranged taxane from the Himalayan yew *Taxus wallichiana* 787 S. K. Chattopadhyay, G. C. Saha, R. P. Sharma, S. Kumar and R. Roy

20,29-Epoxysalacianone and 6β-hydroxysalacianone, two lupane triterpenes from *Salacia beddomei* 789 A. Hisham, G. J. Kumar, Y. Fujimoto and N. Hara

A cycloartane triterpenoid and ω-phenyl alkanoic and alkenoic acids from *Trichilia claussenii* 795 M. T. Pupo, P. C. Vieira, J. B. Fernandes and M. F. G. F. da Silva

Triterpenoids from *Pulsatilla chinensis* 799 Wen-Cai Ye, Nine-Ning Ji, Shou-Xun Zhao, Jing-Han Liu, Tao Ye, M. A. McKervey and P. Stevenson

Acyclic triterpenoids from *Ekebergia capensis* 803 Y. Nishiyama, M. Moriyasu, M. Ichimaru, Y. Tachibana, A. Kato, S. G. Mathenge, J. N. Nganga and F. D. Juma

Triterpenoid glycosides from bark of *Meliosma lanceolata* 809 F. Abe, T. Yamauchi, H. Shibuya and I. Kitagawa

Dammarane-type triterpenoid saponins from *Bacopa monniera* 815 S. Garai, S. B. Mahato, K. Ohtani and K. Yamasaki

Saponins from *Clematis chinensis* 821 Baoping Shao, Guowei Qin, Rensheng Xu, Houming Wu and Kan Ma

Saponins from *Mussaenda pubescens* 827 Weimin Zhao, Ping Wang, Rensheng Xu, Guowei Qin, Shaokai Jiang and Houming Wu

Rearranged limonoids from *Khaya senegalensis* 831 L. R. V. Olmo, M. F. G. F. da Silva, E. R. Fo, P. C. Vieira, J. B. Fernandes, A. J. Marsaioli, A. L. Pinheiro and E. F. Vilela

Lasallic acid, a tridepside from the lichen, *Lasallia asiae-orientalis* 839 T. Narui, S. Takatsuki, K. Sawada, T. Okuyama, C. F. Culberson, W. L. Culberson and S. Shibata

Three isocoumarins from *Coriandrum sativum* 843 M. Taniguchi, M. Yanai, Y. Q. Xiao, T. Kido and K. Baba

Three stilbenoids from the orchid *Agrostophyllum callosum* 847 P. L. Majumder, S. Banerjee and S. Sen

Stilbenoids from *Pleione bulbocodioides* 853 L. Bai, M. Yamaki and S. Takagi

Prorobinetinidins from *Stryphnodendron adstringens* 857 J. Palazzo de Mello, F. Petereit and A. Nahrstedt

A malonylated anthocyanin and flavonols in the blue flowers of *Meconopsis* 863 K. Takeda, S. Yamaguchi, K. Iwata, Y. Tsujino, T. Fujimori and S. Z. Husain

Flavonoid glycosides from *Colebrookea oppositifolia* 867 Fan Yang, Xing-Cong Li, Han-Qing Wang and Chong-Ren Yang

1-*O*-β-D-Glucopyranosyl anthranilate from Piñuela (*Bromelia plumieri*) fruit — 871 F. Parada, D. Krajewski, C. Duque, E. Jäger, M. Herderich and P. Schreier

The characterization and absolute stereochemistry of barbaline, a diterpenoid alkaloid from *Delphinium barbeyi* — 875 G. D. Manners, R. Y. Wong, M. Benson, M. H. Ralphs and J. A. Pfister

Pyranoquinolones and acridones from *Vepris bilocularis* — 881 G. Brader, M. Bacher, H. Greger and O. Hofer

An imidazole alkaloid and other constituents from *Pilocarpus trachyllophus* — 885 M. Andrade-Neto, P. H. Mendes and E. R. Silveira

Short Reports

A keto fatty acid from *Smilax macrophylla* seed oil — 889 C. D. Daulatabad, G. G. Bhat and A. M. Jamkhandi

Taccalonolides from *Tacca plantaginea* — 891 Jihui Shen, Zhongliang Chen and Yisheng Gao

Sulphated steroidal derivatives from *Ruscus aculeatus* — 895 A. Oulad-Ali, D. Guillaume, R. Belle, B. David and R. Anton

Prionitisides A and B, two phenolic glycosides from *Salvia prionitis* — 899 Li-Min Zhao, Xiao-Tian Liang and Lian-Niang Li

Flavonols and isoflavones from *Cotoneaster simonsii* — 903 E. Palme, A. R. Bilia and I. Morelli

Nothapodytines A and B from *Nothapodytes foetida* — 907 Tian-Shung Wu, Yu-Yi Chan, Yann-Lii Leu, Ching-Yuh Chern and Chieh-Fu Chen

3-Hydroxytalatisamine from *Aconitum nasutum* — 909 A. H. Meriçli, F. Meriçli, H. Becker, R. Ilarslan and A. Ulubelen

Number 4

Announcement — ix

Growth and Metabolism

Gibberellins in immature seed of *Prunus cerasus*: structure determination and synthesis of gibberellin, GA_{95} (1,2-didehydro-GA_{20}) — 913 M. Nakayama, T. Yokota, R. Sohma, L. N. Mander, B. Twitchin, H. Komatsu, H. Matsui and M. J. Bukovac

Synthesis and confirmation of structure of three 13,15β-dihydroxy C-20 gibberellins, GA_{100}, GA_{101} and GA_{102}, isolated from the seeds of *Helianthus annuus* L. — 921 D. J. Owen, L. N. Mander, P. Gaskin and J. Macmillan

Ecdysone 20-monooxygenase, a cytochrome P450 enzyme from spinach, *Spinacia oleracea* — 927 R. J. Grebenok, D. W. Galbraith, I. Benveniste and R. Feyereisen

Inhibition of polyphenol oxidase by copper-metallothionein from *Aspergillus niger* — 935 M. Goetghebeur and S. Kermasha

Isolation and characterization of blackspot pigments from potato tubers — 941 L. H. Stevens and E. Davelaar

The phenolic domain of potato suberin: structural comparison with lignins — 949 C. Lapierre, B. Pollet and J. Négrel

Kinetic characterization of UDP-glucose pyrophosphorylase from germinated barley (malt) — 955 L. Elling

Post-harvest biochemical changes associated with the softening phenomenon in *Capsicum annuum* fruits — 961 K. M. P. Sethu, T. N. Prabha and R. N. Tharanathan

Gas chromatographic-mass spectrometric identification of betaine lipids in *Chroomonas salina* 967 W. Eichenberger, H. Gfeller, P. Grey, C. Gribi and R. J. Henderson

Titrimetric test for lipase activity using stabilized triolein emulsions 973 A. Hoppe and R. R. Theimer

Cercospora beticola toxins. Determination of O_2^- · scavenging activity of beticolin-1 979 C. Rustérucci, M.-L. Milat and J.-P. Blein

Compartmentation of caffeine and related purine alkaloids depends exclusively on the physical chemistry of their vacuolar complex formation with chlorogenic acids 985 S. S. M. Waldhauser and T. W. Baumann

Ecological Biochemistry

Nematicidal hydrocarbons from *Mucuna aterrima* 997 M. A. Nogueira, J. S. de Oliveira and S. Ferraz

Naphthalene—a constituent of *Magnolia* flowers 999 H. Azuma, M. Toyota, Y. Asakawa and S. Kawano

Phytotoxic constituents from *Bunias orientalis* leaves 1005 H. Dietz and P. Winterhalter

5-Deoxyflavones from *Parkia clappertoniana* 1011 E. Lemmich, C. O. Adewunmi, P. Furu, A. Kristensen, L. Larsen and C. E. Olsen

Sesquiterpene alcohols from foliage of *Fitzroya cupressoides* 1015 L. G. Cool

Biosynthesis

The biotransformation of Ambrox® and sclareolide by *Cephalosporium aphidicola* 1021 J. R. Hanson and A. Truneh

Differential response of microalgae to the substituted pyridazinone, sandoz 9785, reveal different pathways in the biosynthesis of eicosapentaenoic acid 1025 I. Khozin and Z. Cohen

Cell Culture and Biotechnology

Aliphatic and aromatic glycosides from the cell cultures of *Lycopersicon esculentum* 1031 S. De Rosa, A. De Giulio and G. Tommonaro

Novel anthocyanins produced in petals of genetically transformed lisianthus 1035 K. R. Markham

Betacyanins from plants and cell cultures of *Phytolacca americana* 1039 W. Schliemann, R. W. Joy IV, A. Komamine, J. W. Metzger, M. Nimtz, V. Wray and D. Strack

Chemotaxonomy

Leaf wax ketones in the genus *Coincya* 1047 J. Vioque, J. Pastor and E. Vioque

Fatty acids and triacylglycerols in seeds of Pinaceae species 1051 A. B. Imbs and L. Q. Pham

Two malonylated anthocyanidin glycosides in *Ranunculus asiaticus* 1055 K. Toki, M. Takeuchi, N. Saito and T. Honda

Neo-clerodane diterpenoids from *Scutellaria altissima* and *S. albida* 1059 M. Bruno, F. Piozzi, B. Rodríguez, M. C. de la Torre, N. Vassallo and O. Servettaz

Bioactive Plant Products

Steroidal saponins from *Hosta longipes* and their inhibitory activity on tumour promoter-induced phospholipid metabolism of HeLa cells 1065 Y. Mimaki, T. Kanmoto, M. Kuroda, Y. Sashida, Y. Satomi, A. Nishino and H. Nishino

Plant Chemistry

Hot water-soluble polysaccharides from tetrasporic *Pterocladia capillacea* 1071 M. I. Errea and M. C. Matulewicz

Molecular species of wax esters in *Cereus peruvianus* 1075 V. M. Dembitsky and T. Rezanka

Epomusenins A and B, two acetogenins from fruits of *Rollinia mucosa*	1081	Yuan-Yng Chen, Fang-Rong Chang, Hsin-Fu Yen and Yang-Chang Wu
Nepetanudosides and iridoid glucosides having novel stereochemistry from *Nepeta nuda* ssp. *albiflora*	1085	Y. Takeda, T. Yagi, T. Matsumoto, G. Honda, M. Tabata, T. Fujita, T. Shingu, H. Otsuka, E. Sezik and E. Yesilada
Sesterterpenes and other constituents of *Salvia yosgadensis*	1089	G. Topcu, A. Ulubelen, T. C.-M. Tam and Chun Tao-Che
A 1,5-*cis*-guaianolide glucoside from flowers of *Arnica mollis*	1093	I. Merfort, G. Willuhn, D. Wendisch and D. Gondol
Three new oxygenated cadinanes from *Baccharis* species	1097	C. L. Queiroga, V. L. Ferracini and A. J. Marsaioli
Amarisolide, a neo-clerodane diterpene glycoside from *Salvia amarissima*	1105	E. Maldonado, J. Cárdenas, H. Bojórquez, E. M. Escamilla and A. Ortega
Tetracyclic triterpenoids from *Glycosmis arborea*	1109	A. K. Chakravarty, B. Das, K. Masuda and H. Ageta
β-Amyrin acetate epoxide from *Canarina canariensis*	1115	E. M. Gaydou, R. Faure and E. Wollenweber
Matesaponin 5, a highly polar saponin from *Ilex paraguariensis*	1119	K. H. Kraemer, A. T. C. Taketa, E. P. Schenkel, G. Gosmann and D. Guillaume
Araliasaponins XII–XVIII, triterpene saponins from the roots of *Aralia chinensis*	1123	T. Miyase, N. Sutoh, Dong Ming Zhang and A. Ueno
Saponins from *Mussaenda pubescens*	1131	Weimin Zhao, Rensheng Xu, Guowei Qin, T. Vaisar and M. S. Lee
Pregnane glycosides from *Caralluma retrospiciens*	1135	A. F. Halim and A. T. Khalil
Somalenone, a C_{26} sterol from the marine red alga *Melanothamnus somalensis*	1141	V. U. Ahmad, A. H. Memon, M. S. Ali, S. Perveen and M. Shameel
Naphthohydroquinone glucosides of *Drosera rotundifolia* and *D. intermedia* from *in vitro* cultures	1145	J. Budzianowski
Anthraquinones from the polar fractions of *Galium sinaicum*	1149	A. A. El-Gamal, K. Takeya, H. Itokawa, A. F. Halim, M. M. Amer, H.-E. A. Saad and S. A. Awad
Four stilbenoids from the orchid *Agrostophyllum khasiyanum*	1157	P. L. Majumder, S. Lahiri and N. Mukhoti
Oligostilbenes from *Vitis heyneana*	1163	Wen-Wu Li, Li-Sheng Ding, Bo-Gang Li and Yao-Zu Chen
Neolignans and a sesquiterpene from *Caryodaphnosis tonkinensis*	1167	Nguyen Hoang Anh, H. Ripperger, T. Van Sung and G. Adam
An hydrolysable tannin and accompanying polyphenols from *Melaleuca leucadendron*	1171	T. Yoshida, T. Maruyama, A. Nitta and T. Okuda
Acetophenones and other constituents from the roots of *Melicope erromangensis*	1175	F. Muyard, A. N. Bissoue, F. Bevalot, F. Tillequin, P. Cabalion and J. Vaquette

Two isomeric benzodipyranone derivatives from *Calophyllum inophyllum* 1181 N. U.-D. Khan, N. Parveen, M. P. Singh, R. Singh, B. Achari, P. P. G. Dastidar and P. K. Dutta

Phenolics from inner bark of *Pinus sylvestris* 1185 H. Pan and L. N. Lundgren

4-Hydroxyphenylpropan-7,8-diols and derivatives from *Narvalina domingensis* 1191 B. A. A. A. Balboul, A. A. Ahmed, H. Otsuka and A. de Adams

Two xanthones from roots of *Cratoxylum formosanum* 1195 M. Iinuma, H. Tosa, T. Ito, T. Tanaka and D. A. Madulid

A biflavonoid from *Dysoxylum lenticellare* Gillespie 1199 K. He, B. N. Timmermann, A. J. Aladesanmi and L. Zeng

Nevadensin glycosides from *Lysionotus pauciflorus* 1203 Y. Liu, H. Wagner and R. Bauer

Highly oxygenated flavonoids from *Murraya paniculata* 1207 T. Kinoshita and K. Firman

Spermine alkaloids from *Albizia schimperana* 1211 G. M. Rukunga and P. G. Waterman

Pyrrolizidine alkaloids from *Cynoglossum creticum* 1217 A. El-Shazly, T. Sarg, L. Witte and M. Wink

Short Reports

Iridoid glycosides from *Thunbergia grandiflora* 1223 L. D. Ismail, M. M. El-Azizi, T. I. Khalifa and F. R. Stermitz

Macedonine, a non-glycosidic iridoid from *Galium macedonicum* 1227 M. Mitova, N. Handjieva, S. Spassov and S. Popov

Sesquiterpene lactones from *Artemisia lerchiana* 1231 M. N. Todorova and M. L. Krasteva

A limonoid from *Turraea floribunda* 1235 B. Torto, A. Hassanali, E. Nyandat and M. D. Bentley

Astrotrichilin, a limonoid from *Astrotrichilia asterotricha* 1239 D. A. Mulholland, J. J. Nair and D. A. H. Taylor

Gallotannins and flavonoids from *Haematoxylon campechianum* 1243 F. E. Kandil, N. H. El-Sayed, H. N. Micheal, M. S. Ishak and T. J. Mabry

Flavonoids from *Isodon oresbius* 1247 Huang Hao, Sun Handong and Zhao Shouxun

Norditerpenoid alkaloids from *Delphinium formosum* 1249 F. Meriçli, A. H. Meriçli, H. Becker, A. Ulubelen, S. Özden, N. Dürüst and M. Tanker

Norditerpenoid alkaloids from roots of *Aconitum finetianum* 1253 Gong Wu, Shanhao Jiang and Dayuan Zhu

A benzoxepine derivative from *Delphinium formosum* 1257 F. Meriçli, A. H. Meriçli, H. Becker and A. Ulubelen

Number 5

Growth and Metabolism

Synthesis and potato tuber-inducing activity of methyl 5′,5′,5′-trifluorojasmonate 1259 H. Kiyota, M. Saitoh, T. Oritani and T. Yoshihara

Gibberellins in endosperm and embryos of *Marah macrocarpus* 1263 J. MacMillan and P. Gaskin

Polygalacturonase inhibitors in bean pods 1267 R. Pressey

Tobacco anionic peroxidase overexpressed in transgenic plants: aerobic oxidation of indole-3-acetic acid — 1271 I. G. Gazaryan and L. M. Lagrimini

Structural determination of colourless and yellow dimers resulting from (+)-catechin coupling catalysed by grape polyphenoloxidase — 1279 S. Guyot, J. Vercauteren and V. Cheynier

Relative amounts and enantiomeric compositions of monoterpene hydrocarbons in xylem and needles of *Picea abies* — 1289 M. Persson, K. Sjödin, A.-K. Borg-Karlson, T. Norin and I. Ekberg

Ecological Biochemistry

Bakuchiol derivatives from the leaves of *Psoralea glandulosa* — 1299 C. Labbé, F. Faini, J. Coll and J. D. Connolly

Acyl secoiridoids and antifungal constituents from *Gentiana macrophylla* — 1305 R. X. Tan, J.-L. Wolfender, L. X. Zhang, W. G. Ma, N. Fuzzati, A. Marston and K. Hostettmann

Antifungal and antibacterial naphthoquinones from *Newbouldia laevis* roots — 1315 S. Gafner, J.-L. Wolfender, M. Nianga, H. Stoeckli-Evans and K. Hostettmann

Phenolic and other metabolites of *Phellinus pini*, a fungus pathogenic to pine — 1321 W. A. Ayer, D. J. Muir and P. Chakravarty

Biosynthesis

Biosynthetic studies on chlorinated anthraquinones in the lichen *Nephroma laevigatum* — 1325 P. A. Cohen and G. H. N. Towers

Tropic acid moiety of atropine may be recycled in *Duboisia* — 1331 Y. Kitamura, M. Shigehiro and T. Ikenaga

Chemotaxonomy

Epicuticular waxes and glaucousness of *Encephalartos* leaves — 1335 R. Osborne and J. F. Stevens

Distribution of betaine lipids in marine algae — 1341 M. Kato, M. Sakai, K. Adachi, H. Ikemoto and H. Sano

Polar lipids and fatty acids of some marine macrophytes from the Yellow Sea — 1347 V. E. Vaskovsky, S. V. Khotimchenko, Bangmei Xia and Li Hefang

Fatty acid composition of some seed oils of the Sapindaceae — 1357 V. Spitzer

Sesquiterpenoids from the liverworts *Bazzania trilobata* and *Porella canariensis* — 1361 F. Nagashima, S. Momosaki, Y. Watanabe, S. Takaoka, S. Huneck and Y. Asakawa

Chemotaxonomy of the Argentinian species of *Gaillardia* — 1367 E. M. Petenatti, M. J. Pestchanker, L. A. Del Vitto and E. Guerreiro

Plant Chemistry

Sesquiterpene lactones from *Stevia vaga* — 1369 L. R. Hernández, C. A. N. Catalán, C. M. Cerda-García-Rojas and P. Joseph-Nathan

Pseudoanisatin-like sesquiterpene lactones from the pericarps of *Illicium dunnianum* — 1375 H. Jianmei and Y. Chunshu

Biogenetically important quinonemethides and other triterpenoid constituents of *Salacia reticulata* — 1377 B. Dhanabalasingham, V. Karunaratne, Y. Tezuka, T. Kikuchi and A. A. L. Gunatilaka

Triterpenes of *Prunus africana* bark — 1387 C. Fourneau, R. Hocquemiller and A. Cavé

27-Nor-triterpenoid glycosides from *Adina rubella* — 1391 Zhi-sheng He, Shi-yue Fang, Ping Wang and Jing-hai Gao

Triterpenoids, lignans and a benzofuran derivative from the bark of *Aglaia elaeagnoidea*	1395	N. Fuzzati, W. Dyatmiko, A. Rahman, F. Achmad and K. Hostettmann
Seco-protolimonoids from *Trichilia elegans* ssp. *elegans*	1399	F. R. Garcez, W. S. Garcez, E. D. Rodrigues, V. J. Pott and N. F. Roque
Saponins from *Fagonia mollis*	1405	F. R. Melek, T. Miyase, O. D. El-Gindi, S. M. Abdel-Khalik and M. Y. Haggag
Steroid saponins from *Solanum laxum*	1409	F. Ferreira, S. Soulé, A. Vazquez, P. Moyna and L. Kenne
Steroidal saponins from fruits of *Tribulus terrestris*	1417	W. Yan, K. Ohtani, R. Kasai and K. Yamasaki
Bianthraquinones from *Senna didymobotrya*	1423	G. Alemayehu, A. Hailu and B. M. Abegaz
Acidic metabolites from *Phycomyces blakesleeanus*	1427	A. F. Barrero, J. E. Oltra and J. A. Poyatos
A neolignan glycoside and acylated iridoid glucosides from stem bark of *Alangium platanifolium*	1435	H. Otsuka, N. Kashima and K. Nakamoto
Two lignans and an aryl alkanone from *Myristica dactyloides*	1439	H. M. T. B. Herath and A. M. A. Priyadarshani
Chromanones, benzofurans and other constituents from *Ophryosporus lorentzii*	1443	E. E. Sigstad, C. A. N. Catalán, J. G. Díaz and W. Herz
Three biflavonoids from *Daphne odora*	1447	M. Taniguchi and K. Baba
Isoflavonoids and chalcones from *Anthyllis hermanniae*	1455	L. Pistelli, K. Spera, G. Flamini, S. Mele and I. Morelli
Twenty-three flavonoids from *Lonchocarpus subglaucescens*	1459	A. F. Magalhães, A. M. G. A. Tozzi, B. H. L. N. Sales and E. G. Magalhães
A pterocarpan from *Erythrina orientalis*	1473	H. Tanaka, T. Tanaka and H. Etoh
Quinoline-2-carboxylic acids from *Ephedra* species	1477	A. N. Starratt and S. Caveney
Alkaloids from trunk bark of *Hernandia nymphaeifolia*	1479	Jih-Jung Chen, Ian-Lih Tsai, Tsutoma Ishikawa, Chyi-Jia Wang and Ih-Sheng Chen
Two pyrroloquinazolines from *Adhatoda vasica*	1485	R. K. Thappa, S. G. Agarwal, K. L. Dhar, V. K. Gupta and K. N. Goswami
Book reviews	1489	

Number 6

Growth and Metabolism		
Ammonium ion salvage by glutamate dehydrogenase during defence response in maize	1491	G. O. Osuji and W. C. Madu
Purification of polyphenol oxidase free of the storage protein patatin from potato tuber	1499	J. C. Partington and G. P. Bolwell
The effect of sodium dodecyl sulphate on polyphenol oxidase	1503	M. Jiménez and F. García-Carmona

Characterization of a tyrosinase from *Amanita muscaria* involved in betalain biosynthesis — 1511 L. A. Mueller, U. Hinz and J.-P. Zrÿd

Characterization of two cyano glucosyltransferases from cassava leaves — 1517 H. Mederacke, B. Biehl and D. Selmar

Trace element concentrations in the fruit peels and trunks of *Musa paradisiaca* — 1523 M. D. Selema and M. E. Farago

Halocarbon production and *in vivo* brominating activity of *Eucheuma denticulatum* — 1527 J. Sundström, J. Collén, K. Abrahamsson and M. Pedersén

Detection, isolation and structure elucidation of a chlorophyll *a* catabolite from autumnal senescent leaves of *Cercidiphyllum japonicum* — 1531 C. Curty and N. Engel

Ecological Biochemistry

Isotentoxin, a conversion product of the phytotoxin tentoxin — 1537 B. Liebermann, R. Ellinger and E. Pinet

A phytotoxic pimarane diterpene of *Sphaeropsis sapinea* f. sp. *cupressi*, the pathogen of a canker disease of cypress — 1541 A. Evidente, L. Sparapano, A. Motta, F. Giordano, O. Fierro and S. Frisullo

Relationship between the fungus *Ceratocystis fimbriata coffea* and the canker disease of the coffee tree — 1547 G. Gremaud and R. Tabacchi

Iron withholding by plant polyphenols and resistance to pathogens and rots — 1551 I. Mila, A. Scalbert and D. Expert

Biosynthesis

Subcellular localization of acyltransferases for quinolizidine alkaloid biosynthesis in *Lupinus* — 1557 H. Suzuki, Y. Koike, I. Murakoshi and K. Saito

Induction of early mevalonate pathway enzymes and biosynthesis of end products in potato (*Solanum tuberosum*) tubers by wounding and elicitation — 1563 G. M. Bianchini, B. A. Stermer and N. L. Paiva

Cell Culture and Biotechnology

Formation of hydroxycinnamoylamides and α-hydroxyacetovanillone in cell cultures of *Solanum khasianum* — 1573 U. Mühlenbeck, A. Kortenbusch and W. Barz

Production of petroselinic acid from cell suspension cultures of *Coriandrum sativum* — 1581 S.-W. Kim, M.-K. Park, K.-S. Bae, M.-S. Rhee and J.-R. Liu

Biotransformation of cedrol and related compounds by *Mucor plumbeus* — 1583 B. M. Fraga, R. Guillermo, J. R. Hanson and A. Truneh

Production of diterpenoids by *Euphorbia calyptrata* cell cultures — 1587 A. Minghetti, N. C. Perellino, L. Garofano, E. Speroni and F. F. Vincieri

trans-Resveratrol-3-*O*-β-glucoside (piceid) in cell suspension cultures of *Vitis vinifera* — 1591 P. W. Teguo, A. Decendit, J. Vercauteren, G. Deffieux and J.-M. Mérillon

Chemotaxonomy

Distribution of neuroexcitatory amino acids in marine algae — 1595 M. Sato, T. Nakano, M. Takeuchi, N. Kanno, E. Nagahisa and Y. Sato

Sterol composition of the woody plant pathogenic fungus *Eutypa lata* — 1599 L. Chapuis, M.-F. Corio-Costet and C. Malosse

Sterol content as a similarity marker of different organs of two varietas of *Chrysanthemum parthenium* — 1603 B. Wilkomirski and B. Dubielecka

A xanthone from *Senecio mikanioides* leaves — 1605 S. Catalano, S. Luschi, G. Flamini, P. L. Cioni, E. M. Nieri and I. Morelli

Bioactive Plant Products

Steroidal saponins from *Nolina recurvata* stems and their inhibitory activity on cyclic AMP phosphodiesterase — 1609 Y. Mimaki, Y. Takaashi, M. Kuroda, Y. Sashida and T. Nikaido

Plant Chemistry

Homologous long-chain alkanediols from *Papaver* leaf cuticular waxes — 1617 R. Jetter, M. Riederer, A. Seyer and C. Mioskowski

Some metabolites of *Botrytis cinerea* related to botcinolide — 1621 I. G. Collado, J. Aleu, R. Hernández-Galán and J. R. Hanson

Portuloside A, a monoterpene glucoside, from *Portulaca oleracea* — 1625 N. Sakai, K. Inada, M. Okamoto, Y. Shizuri and Y. Fukuyama

Jaspolyside, a secoiridoid glycoside from *Jasminum polyanthum* — 1629 Ya-Ching Shen, Saho-Ling Lin and Chyh-Chung Chein

Iridoid glucosides in *Plantago alpina* and *P. altissima* — 1633 S. R. Jensen, C. E. Olsen, K. Rahn and J. H. Rasmussen

Sesquiterpene lactones and other constituents of *Eirmocephala megaphylla* and *Cyrtocymura cincta* — 1637 S. Borkosky, D. A. Valdés, A. Bardón, J. G. Díaz and W. Herz

Sesquiterpenoids and diterpenoids from the liverwort *Jungermannia truncata* — 1641 M. S. Buchanan, J. D. Connolly, A. A. Kadir and D. S. Rycroft

Zythiostromic acids, diterpenoids from an antifungal *Zythiostroma* species associated with aspen — 1647 W. A. Ayer and A. Q. Khan

Two diterpenoids from copaiba oil — 1653 H. Monti, N. Tiliacos and R. Faure

Diterpenes and related cycloadducts from *Taiwania cryptomerioides* — 1657 Wang-Hong Lin, Jim-Min Fang and Yu-Shia Cheng

Triterpenoids of *Isodon loxothyrsus* — 1665 Huang Hao, Sun Han-Dong and Zhao Shou-Xun

Glabretal triterpenoids from *Dysoxylum muelleri* — 1667 D. A. Mulholland, J. J. Nair and D. A. H. Taylor

Triterpenoid saponins from *Bupleurum smithii* var. *parvifolium* — 1673 Yu-ying Zhao, He-sheng Luo, Bin Wang, Li-bin Ma, Guang-zhong Tu and Ru-yi Zhang

Steroidal glycosides from *Tribulus terrestris* — 1677 Gong Wu, Shanhao Jiang, Fuxiang Jiang, Dayuan Zhu, Houming Wu and Shaokai Jiang

Three oxanthrones from *Aloe littoralis* — 1683 E. Dagne, B.-E. Van Wyk, D. Stephenson and W. Steglich

Qianhucoumarin I from *Peucedanum praeruptorum* — 1689 Ling-Yi Kong, Zhi-Da Min, Yi Li, Xian Li and Yue-Hu Pei

Carboxylated α-pyrone derivatives and flavonoids from the liverwort *Dumortiera hirsuta* — 1693 L. Kraut, R. Mues, A. Speicher, M. Wagmann and T. Eicher

Novel chlorometabolites produced by *Bjerkandera* species — 1699 H. J. Swarts, F. J. M. Verhagen, J. A. Field and J. B. P. A. Wijnberg

A dioxoaporphine and other alkaloids of two annonaceous plants of Sri Lanka — 1703 E. M. K. Wijeratne, Y. Hatanaka, T. Kikuchi, Y. Tezuka and A. A. L. Gunatilaka

Book Review — 1707

Errata and Corrigenda — 1709